


TENSE LEVER

FORMANI | Bertram Beerbaum











Shown Above: BB100-G - Satin Black (NM)

Lever Handle	Code	Privacy	Code
BB100-G 19x6mm, 148,5mm long sprung on a rose	3301D001NMXX0	BB-WC53 Turn and release round privacy set including 5/6/7/8mm pin.	3301T002NMXXU
BB101-G 19x6mm Lever, 147mm long sprung on a round rose	3301D002NMXX0	BB-WCQ50 Turn and release square privacy set including 5/6/7/8mm pin.	3301T002NMXXU
BB102-G 25x6 Lever, 132mm long sprung on a round rose	3301D003NMXX0		
BB103-G 25x6 Lever, 132mm long sprung on a round rose	3301D004NMXX0		
BB104-G 20x6 Lever, 245mm long sprung on a plate.	3301D005NMXX0		
		Escutcheons	Code
		BBY53 Round Key Escutcheons	3301Y001NMXX0
		LSQBY50 Square Key Escutcheons	1501Y062NMXX0

>> More finishes available on the next page.

BB100-G

AVAILABLE FINISHES	BB100-G HANDLES	BB-WC53 PRIVACY	BBY53 KEY ESCUTCHEON
Satin Stainless Steel IN	 3301D001INXX0	 3301T001INXXU	 3301Y001INXX0
PVD Satin Black NM	 3301D001NMXX0	 3301T001NMXXU	 3301Y001NMXX0
Bronze BR	 3301D001BRXX0	IMAGE UNAVAILABLE 3301T001BRXXU	 3301Y001BRXX0

BB101-G

Satin Stainless Steel IN 3301D002INXX0		PVD Satin Black NM 3301D002NMXX0	
---	---	---------------------------------------	---

BB102-G

Satin Stainless Steel IN 3301D003INXX0		PVD Satin Black NM 3301D003NMXX0	
---	---	---------------------------------------	---

BB103-G

Satin Stainless Steel | IN
3301D004INXX0



PVD Satin Black | NM
3301D004NMXX0



Bronze | BR
3301D004BRXX0



BB104-G

A lock with a 60mm backset is required for optimal use.

	BB104-G	BB-WCQ50	LSQBY50
AVAILABLE FINISHES	HANDLES	PRIVACY	KEY ESCUTCHEON
Satin Stainless Steel IN	 3301D005INXX0	 3301T002INXXU	 1501Y062INXX0
PVD Satin Black NM	 3301D005NMXX0	 3301T002NMXXU	 1501Y062NMXX0

CLASSIFICATION

4	7	-	B	0	4	0	B
---	---	---	---	---	---	---	---

Code can be broken down into the following grade/ digits:

1. CATEGORY OF USE [4]

High frequency on doors with are subject to frequent violent use: E.g. football stadiums, public toilets, etc.

2. DURABILITY [7]

200,000 cycles

3. TEST DOOR MASS [-]

No Classification

4. FIRE RESISTANCE [B]

Suitable for use on fire/smoke door assemblies
(Tested with 200,000 test cycles)

5. SAFETY [0]

Normal use

6. CORROSION RESISTANCE [4]

Very High Resistance – 240 hours of salt spray test

7. SECURITY [0]

Not suitable for burglary resistant doors


8. TYPE OF OPERATION [B]

Spring Loaded levers


[View more info on FORMANI classifications](#)

DRAWINGS


BB100-G




BB101-G




BB102-G




BB103-G




BB104-G




BB-WC53




BB-WCQ50



BBY53



LSQBY50



Two Tease offers a range of lock options for handles.
Click on the boxes to see more information.

AGB LOCKS



[Click Here](#)

TUBULAR LATCH & PRIVACY BOLTS



[Click Here](#)