

BASICS LEVER (LB10)

FORMANI



Shown Above: LB10 - NM (Satin Black)

	Lever Handle	Code
LB10	Ø 22mm lever, 127mm long sprung on a round rose	1501D053NMXX0



	Escutcheons	
LBWC50	Round turn and release privacy set including 5/6/7/8mm pin with indication.	1501T020NMXXU



LBWC50-ZI	Round turn and release privacy set including 5/6/7/8mm pin without indication.	1501T020IMXXUZI
------------------	--	-----------------

	Escutcheons	
LBY50	Round Key Escutcheons	1501Y002NMXX0

	Doorstop	
LB10	Ø 39 mm, 40 (H) floor mounted doorstop	1501Z028NMXX0

>> More finishes available on the next page.

LB10

Hollow Handle

Available Finishes	LB10 Door Handle	LBWC50 Privacy ZI = Without Indicator	LB50 Key Escutcheon	LB10 Doorstop
Satin Stainless Steel IN	 1501D053INXX0	 1501T020INXXU 1501T020INXXUZI	 1501Y002INXX0	 1501Z028INXX0
Satin Black NM	 1501D053NMXX0	 1501T020NMXXU 1501T020NMXXUZI	 1501Y002NMXX0	 1501Z028NMXX0

CLASSIFICATION

According to EN 1906: 2012

3	7	-	B	0	3	0	B
---	---	---	---	---	---	---	---

Code can be broken down into the following grade/ digits:

1. CATEGORY OF USE [3]

High frequency of use by public or others with little incentive to exercise care and with a high chance of misuse, e.g. public office doors. *Hollow handle.*

2. DURABILITY [7]

200,000 cycles

3. TEST DOOR MASS [-]

No Classification

4. FIRE RESISTANCE [B]

Suitable for use on fire/smoke door assemblies (tested with 200,000 test cycles)

5. SAFETY [0]

Normal use

6. CORROSION RESISTANCE [3]

High Resistance – 96 hours of salt spray test

7. SECURITY [0]


Not suitable for burglary resistant doors

8. TYPE OF OPERATION [B]


Spring Loaded levers

[View more info on FORMANI classifications](#)


LB10




LBWC50



LB10



LBY50



Two Tease offers a range of lock options for handles.
Click on the boxes to see more information.

AGB LOCKS



[Click Here](#)

TUBULAR LATCH & PRIVACY BOLTS



[Click Here](#)