

SICUREZZA 2.0

AGB EURO LOCK W/ DUO LATCH





Axis

85mm

Backsets 45mm

50mm 60mm



Material

Stainless Steel Steel Nylon



Steel Forend

Round End 22 x 238mm



Hub

8mm

Description

Embedded lock with patented co-moulded self-lubricating latch and bolt. Reversible spring latch.

AGB matched the best qualities of the two materials ensuring solidity an silence during the closing movement. The 4 lateral guides, in fact, drive the latch movement until it gets completely into the lock, ensuring fluidity, smoothness and noise reduction.


Application

For interior and main timber doors.

Mounting

Prepare cutout and mill the panel according to the dimensions shown in the diagram (pg.2) Secure the lock with two 4.5x25 mm screws. To reverse the spring latch, push it out of the forend by pushing with a screwdriver against the screw on the back, then rotate it.





FINISHES & CODES

45mm Backset

Not all items are stocked in Australia


Nickel Plated B80851.45.06	Nickel Plated B80851.50.06	Matt Chrome B80851.50.34	Matt Black B80851.50.93
50mm Backset			
Enamelled Brass B80851.50.03	Enamelled Bronze B80851.50.22	Matt Black B80851.50.93	
Nickel Plated B80851.50.06	Matt Chrome B80851.50.34		

60mm Backset



SICUREZZA 2.0 STRIKER PLATE

Round End with Shaped lip



22 20 0 121 12,5

Description

Steel or brass striker with round ends, 22mm wide, 238 mm long. 10 mm shaped lip for jamb protection in area where spring latch strikers. Suitable for both right and left-handed applications.

Application

Used in combination with a Mortice lock with 22 mm forend. on interior and main flush doors with timber frame.

Mounting

Mill the frame according to the dimensions shown in the diagram. Install the striker with the lip flush with the edge of the frame. Fasten with three 3x25 mm screws.

7 Available Finishes



Enamelled Brass



Nickel Plated B00590.11.06

B00590.11.03



Matt Chrome B00590.11.34



Matt Black B00590.11.93

